

Statement of Basis

for the DRAFT CAAPP Permit for:

Source Name:

Federal Mogul, Sealing Systems

Statement of Basis No.: 95120060-1410

I.D. No.: 031288ABA

Permit No.: 95120060

Date Prepared: October 23, 2014

Permitting Authority:

Illinois Environmental Protection Agency
Bureau of Air, Permit Section
217/785-1705

This Statement of Basis is being provided to USEPA and any interested parties as required by Section 39.5(8)(b) of the Illinois Environmental Protection Act.

Table of Contents

PREFACE

INTRODUCTION

CHAPTER I - LEGAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

- 1.1 Legal Basis for Program
- 1.2 Legal Basis for Issuance of CAAPP Permit
 - a. Application Status
 - b. Compliance Status
 - c. Payment of Fees
 - d. Additional Information Status
- 1.3 Legal Basis for Conditions in the CAAPP Permit
 - a. Applicable Federal Regulations
 - b. Applicable SIP Regulations
 - c. Other Applicable Requirements

CHAPTER II - FACTUAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

- 2.1 Source History
- 2.2 Source Description
- 2.3 Single Source Status
- 2.4 Ambient Air Quality Status
- 2.5 Source Status
- 2.6 Annual Emissions
- 2.7 Fee Schedule
- 2.8 SIP Permit Facts

CHAPTER III - SUPPLEMENTAL INFORMATION REGARDING THE PERMIT AND CONDITIONS

- 3.1 Environmental Justice
- 3.2 Emission Testing Results
- 3.3 Compliance Reports
- 3.4 Field Inspection Results
- 3.5 Historical Non-Compliance
- 3.6 Source Wide Justifications and Rationale
- 3.7 Emission Unit Justifications and Rationale
 - a. Plastic Bead Blaster
 - b. Uncontrolled Gasket Coating Lines
 - c. Rubber Molding Adhesive Room
 - d. Natural Gas Boilers (> 10 mmBtu/hr)
 - e. Natural Gas Boilers (< 10 mmBtu/hr)
 - f. Liquid Elastomer Molding (LEM) Line
 - g. Die Lubrication Operation (Punch Presses)
- 3.8 Insignificant Activities Discussion
- 3.9 Prompt Reporting Discussion
- 3.10 Emissions Reduction Market System (ERMS)

- 3.11 Greenhouse Gas Discussion
- 3.12 Incorporation by Reference Discussion
- 3.13 Periodic Monitoring General Discussions

CHAPTER IV – DESCRIPTION OF THE CHANGES FROM PREVIOUSLY ISSUED CAAPP PERMITS

- 4.1 Major Changes Summary
- 4.2 Specific Permit Condition Changes

ENDNOTES

PREFACE

Reason For This Document

This document is a requirement of the permitting authority in accordance with 502(a) of the Clean Air Act, 40 CFR 70.7(a)(5), and Section 39.5(8)(b) of the Illinois Environmental Protection Act. Section 39.5(8)(b) of the Illinois Environmental Protection Act states the following:

"The Agency shall prepare a statement that sets forth the legal and factual basis for the Draft CAAPP permit conditions, including references to the applicable statutory or regulatory provisions."

Purpose Of This Document

The purpose of this Statement of Basis is to provide discussion regarding the development of this Draft CAAPP Permit. This document would also provide the permitting authority, the public, the source, and the USEPA with the applicability and technical matters that form the basis of the Draft CAAPP Permit.

Summary Of Historical Actions Leading Up To Today's Permitting Action

Since the last Renewal CAAPP Permit issued on September 20, 1999, the source has not been issued any modifications or amendments.

Limitations

This Statement of Basis is not enforceable and only sets forth the legal and factual basis for the Draft CAAPP Permit Conditions (Chapters I and II). Chapter III contains supplemental material that would assist in educating interested parties about this source and the Draft CAAPP Permit. The Statement of Basis does not shield the source from enforcement actions or its responsibility to comply with existing or future applicable regulations. Nor does the Statement of Basis constitute a defense to a violation of the Federal Clean Air Act or the Illinois Environmental Protection Act including implementing regulations.

This document does not purport to establish policy or guidance.

INTRODUCTION

The Clean Air Act Permit Program (CAAPP) is the operating permit program established in Illinois for major stationary sources as required by Title V of the federal Clean Air Act and Section 39.5 of the Illinois Environmental Protection Act. The Title V Permit Program (CAAPP) is the primary mechanism to apply the various air pollution control requirements established by the Clean Air Act to major sources, defined in accordance with Title V of the Clean Air Act. The Draft CAAPP Permit contains conditions identifying the state and federal applicable requirements that apply to the source. The Draft CAAPP Permit also establishes the necessary monitoring and compliance demonstrations. The source must implement this monitoring to demonstrate that the source is operating in accordance with the applicable requirements of the permit. The Draft CAAPP Permit identifies all applicable requirements for the various emission units as well as establishes detailed provisions for testing, monitoring, recordkeeping, and reporting to demonstrate compliance with the Clean Air Act. Further explanations of the specific provisions of the Draft CAAPP Permit are contained in the following Chapters of this Statement of Basis.

The Illinois EPA has focused in on key elements of the permit that relate to the requirements of the CAAPP Program:

- Emissions of:
 - PM/PM₁₀, SO₂, VOM, CO, NO_x, and HAP
- Emission units:
 - PLASTIC BEAD BLASTER
 - RUBBER MOLDING
 - NATURAL GAS BOILERS
 - LIQUID ELASTOMER MOLDING
- The area surrounding Federal-Mogul Corporation has the potential for environmental justice ("EJ") concerns. Therefore, the Illinois EPA has taken a careful review of the monitoring in the DRAFT CAAPP permit and has provided for public input. Given the nature of the source to be a Gasket Manufacturing, the Draft CAAPP permit requires the following. A discussion of this monitoring can be found in Section 3.1 of this Statement of Basis.

In addition, the Illinois EPA has committed substantial resources and effort in the development of an acceptable Statement of Basis (this document) that would meet the expectations of USEPA, Region 5. As a result, this document contains discussions that address applicability determinations, periodic monitoring, streamlining, prompt reporting, and SSM authorizations (as necessary). These discussions involve, where necessary, a brief description and justification for the resulting conditions and terms in this Draft CAAPP Permit. This document begins by discussing the legal basis for the contents of the Draft CAAPP Permit, moves into the factual description of the permit, and ends with supplemental information that has been provided to further assist with the understanding of the background and genesis of the permit content.

It is Illinois EPA's preliminary determination that this source's Permit Application meets the standards for issuance of a "Final" CAAPP Permit as

stipulated in Section 39.5(10)(a) of the Illinois Environmental Protection Act (see Chapter I - Section 1.2 of this document). The Illinois EPA is therefore initiating the necessary procedural requirements to issue a Final CAAPP Permit. The Illinois EPA has posted the Draft CAAPP permit and this Statement of Basis on USEPA website:

<http://www.epa.gov/reg5oair/permits/ilonline.html>

CHAPTER I – LEGAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

1.1 Legal Basis for Program

The Illinois EPA's state operating permit program for major sources established to meet the requirements of 40 CFR Part 70 are found at Section 39.5 of the Illinois Environmental Protection Act [415 ILCS 5/39.5]. The program is called the Clean Air Act Permitting Program (CAAPP). The underlying statutory authority is found in the Illinois Environmental Protection Act at 415 ILCS 5/39.5. The CAAPP was given final full approval by USEPA on December 4, 2001 (see 66 FR 62946).

1.2 Legal Basis for Issuance of CAAPP Permit

In accordance with Section 39.5(10)(a) of the Illinois Environmental Protection Act, the Illinois EPA may only issue a CAAPP Permit if all of the following standards for issuance have been met:

- The applicant has submitted a complete and certified application for a permit, permit modification, or permit renewal consistent with Sections 39.5(5) and (14) of the Illinois Environmental Protection Act, as applicable, and applicable regulations (Section a. below);
- The applicant has submitted with its complete application an approvable compliance plan, including a schedule for achieving compliance, consistent with Section 39.5(5) of the Illinois Environmental Protection Act and applicable regulations (Section b. below);
- The applicant has timely paid the fees required pursuant to Section 39.5(18) of the Illinois Environmental Protection Act and applicable regulations (Section c. below); and
- The applicant has provided any additional information as requested by the Illinois EPA (Section d. below).

a. Application Status

The source submitted an application for a Renewal CAAPP Permit on January 23, 2004. The source is currently operating under an application shield resultant from a timely and complete renewal application submittal. This Draft CAAPP Permit addresses application content and necessary revisions to meet the requirements for issuance of the permit.

b. Present Compliance Status

At the time of this Draft CAAPP Permit, there were no pending State or Federal enforcement actions against the source; therefore, a Compliance Schedule is not required for this source. The source submitted an approvable Compliance Plan as part of its Certified Permit Application. The source has certified compliance with all applicable rules and regulations. In addition, the draft permit requires the source to certify its compliance status on an annual basis.

c. Payment of Fees

The source is current on payment of all fees associated with operation of the emission units.

d. Additional Information

The source provided all the necessary additional application material as requested by the Illinois EPA.

1.3 Legal Basis for Conditions in the CAAPP Permit

This industrial source is subject to a variety of Federal and SIP regulations, which are the legal basis for the conditions in this permit (see Sections a. and b. below). Also, the CAAPP provides the legal basis for additional requirements such as periodic monitoring, reporting, and recordkeeping. The following list summarizes those regulations that form the legal basis for the conditions in this Draft CAAPP Permit and are provided in the permit itself as the origin and authority.

a. Applicable Federal Regulations

This source operates emission units that are subject to the following Federal regulations.

40 CFR Part 60 - Subpart A, NSPS General Provisions

40 CFR 60 - Subpart TT, Standards of Performance for Metal Coil Surface Coating

40 CFR Part 63 - Subpart A, NESHAP General Provisions

40 CFR 63 - Subpart MMMM, National Emission Standards for Hazardous Air Pollutants for Surface Coating of Miscellaneous Metal Parts and Products

40 CFR 63 - Subpart PPPP, National Emission Standards for Hazardous Air Pollutants for Surface Coating of Plastic Parts and Products

40 CFR 63 - Subpart SSSS, National Emission Standards for Hazardous Air Pollutants: Surface Coating of Metal Coil

40 CFR 63 - Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

40 CFR Part 63 - Subpart DDDDD, Boilers National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters

b. Applicable SIP Regulations

This source operates emission units that are subject to the following SIP regulations:

35 IAC Part 201 - Permits And General Provisions

35 IAC Part 205 - Emissions Reduction Market System

35 IAC Part 212 - Visible And Particulate Matter Emissions

35 IAC Part 214 - Sulfur Limitations

35 IAC Part 216 - Carbon Monoxide Emissions

35 IAC Part 218 - Organic Material Emis Stnds And Lmtns For The Chicago Area

35 IAC Part 228 - Asbestos

35 IAC Part 254 - Annual Emissions Report

c. Other Applicable Requirements

There are no other applicable requirements for this source.

CHAPTER II - FACTUAL BASIS FOR THE PERMIT AND PERMIT CONDITIONS

2.1 Source History

There is no significant source history warranting discussion for this source.

2.2 Description of Source

SIC Code: 3053

County: COOK

The source manufactures gaskets made of variety of substrates, including: steel, rubber, cork/rubber, felt and fibrous "beater add" materials. In addition, the Rubber Molding Adhesive Room and Liquid Elastomer Molding (LEM) Line are control systems is Permanent Total Enclosure and Thermal Oxidizer control device.

The source contains the following processes:

| <i>Emission Units</i> | <i>Description</i> |
|---------------------------------------|--|
| Plastic Bead Blaster | Rubber molds are cleaned by "shooting" them with a combination wood and plastic bead in a typical "sandblaster" cabinet. The shot is captured in a cyclone and air is sent to a stand alone dust collector. |
| Uncontrolled Gasket Coating Lines | This source uses a variety of equipment and raw materials to apply and cure coatings. Coatings are applied by roll coating, or silk screening. The VOM and HAP contents of the coatings will vary depending on the gasket application and customer request. A coating will often be custom formulated for a particular product. Curing of the coatings may involve ultra-violet light curing, oven (thermal) curing, infrared curing, air drying, or carbon dioxide. |
| Unit M52 Rubber Molding Adhesive Room | Rubber molding to metal or plastic carriers requires a chemical bond between the metal and rubber. Although there are some water based adhesives on the market, none have been found that survives the high temperature environment to which these gaskets are exposed. The solvent based adhesives are applied to cleaned metal or plastic parts by putting them into a dipping tank or by spraying them in spray booths. The coated parts are air dried. The operations take place in a specially designed room which is enclosed. Exhausts are directed to an oxidizer. Minimal clean up uses a solvent in the room. Fumes are exhausted to the oxidizer. Spent adhesives are stored in a 55 gallon, closed drum. |

| <i>Emission Units</i> | <i>Description</i> |
|--|---|
| Natural Gas Boilers (> 10 mmBtu/hr) | Federal-Mogul utilizes boilers for space heating, steam generators for processes, hot water heaters, space heaters and food preparation. There are nine boilers at the source which have heat inputs of more than 2.5 mmBtu/hr. There are six boilers for hot water generation and building heat and three steam generators for processes. The steam generators are for rubber vulcanization, water heating, and miscellaneous uses. These units have maximum heat input ratings of greater than 10 mmBtu/hr and fire only natural gas. |
| Natural Gas Boilers (< 10 mmBtu/hr) | Federal-Mogul utilizes boilers for space heating, steam generators for processes, hot water heaters, space heaters and food preparation. There are nine boilers at the source which have heat inputs of more than 2.5 mmBtu/hr. There are six boilers for hot water generation and building heat and three steam generators for processes. The steam generators are for rubber vulcanization, water heating, and miscellaneous uses. These units have maximum heat input ratings exceeding 0.3 mmBtu/hr, but are less than 10 mmBtu/hr and fire only natural gas. |
| OC14 Liquid Elastomer Molding (LEM) Line | The production begins with clean metal and ends with metal gaskets with rubber sealing beads. For the rubber to adhere to the metal, a solvent-based adhesive is first applied to the metal by a dip tank and then air dried. This coating operation is performed on a continuous strip of metal that is unwound from a coil. A thermal oxidizer is installed to control the emissions from the tank and the drying room. The heated air for the dryer is generated from either the thermal oxidizer operation or from convection. |
| Die Lubrication Operation | Lubricate the Punch Presses Dies |

2.3 Single Source Status

This source does not have any collocated facilities that would be considered a single source with this facility based on information found in the certified application.

2.4 Ambient Air Quality Status for the Area

The source is located in an area that is currently designated nonattainment for the National Ambient Air Quality Standards for ozone (moderate nonattainment) and PM_{2.5} and attainment or unclassifiable for all other criteria pollutants: carbon monoxide, lead, nitrogen dioxide, PM₁₀, and sulfur dioxide. (See 40 CFR Part 81 - Designation of Areas for Air Quality Planning Purposes)

2.5 Source Status

The source requires a CAAPP permit because this source is considered major (based on its PTE) for the following regulated pollutants: volatile organic material (VOM) and/or hazardous air pollutant (HAP)

Based on available data, this source is not a major source of emissions for GHG, because the estimated potential emissions of GHG that are less than 100 ton per year (mass) and 100,000 tons per year (CO₂e). Federal-Mogul, Sealing Systems submitted data in its application for which the Illinois EPA estimated the PTE of GHG emissions to be 37,105.5 tons per year. The emissions consist of 37,067.2 tons of CO₂, 20.9 tons of N₂O, and 17.4 tons of methane.

This source is not currently subject to any “applicable requirements”, as defined by Section 39.5(1) of the Act, for emissions of greenhouse gases (GHG) as defined by 40 CFR 86.1818-12(a), as referenced by 40 CFR 52.21(b)(49)(i). There are no GHG-related requirements under the Illinois Environmental Protection Act, Illinois’ State Implementation Plan, or the Clean Air Act that apply to this facility, including terms or conditions in a Construction Permit addressing emissions of GHG or BACT for emissions of GHG from a major project at this facility under the PSD rules. In particular, the USEPA’s Mandatory Reporting Rule for GHG emissions, 40 CFR Part 98, does not constitute an “applicable requirement” because it was adopted under the authority of Sections 114(a)(1) and 208 of the Clean Air Act. This permit also does not relieve the Permittee from the legal obligation to comply with the relevant provisions of the Mandatory Reporting Rule for this facility.

2.6 Annual Emissions

The following table lists annual emissions (tons) of criteria pollutants for this source, as reported in the Annual Emission Reports (AER) sent to the Illinois EPA:

| <i>Pollutant</i> | <i>2012</i> | <i>2011</i> | <i>2010</i> |
|-------------------|-------------|-------------|-------------|
| CO | 3.50 | 4.06 | 4.32 |
| NO _x | 4.17 | 4.83 | 5.15 |
| PM | 2.67 | 2.60 | 2.60 |
| SO ₂ | 0.03 | 0.02 | 0.02 |
| VOM | 14.02 | 15.45 | 16.76 |
| CO ₂ e | 5,034.63 | 5,828.82 | 6,212.33 |
| HAP | | | |

2.7 Fee Schedule

The following table lists the approved annual fee schedule (tons) submitted in the Source’s permit application:

| <i>Pollutant</i> | <i>Tons/Year</i> |
|------------------------------------|------------------|
| Volatile Organic Material (VOM) | 38.6519 |
| Sulfur Dioxide (SO ₂) | 0.2119 |
| Particulate Matter (PM) | 6.8966 |
| Nitrogen Oxides (NO _x) | 35.0922 |
| HAP, not included in VOM or (HAP) | N/A |
| Total | 80.8526 |

2.8 SIP Permit Facts (T1 Limits)

CAAPP Permits must address all “applicable requirements”, which includes the terms and conditions of preconstruction permits issued under regulations approved by USEPA in accordance with Title I of the CAA (See definition of applicable requirements in Section 39.5(1) of the Illinois Environmental Protection Act). Preconstruction permits, commonly referred to in Illinois as Construction Permits, derive from the New Source Review (“NSR”) permit programs required by Title I of the CAA. These programs include the two major NSR permit programs: (1) the Prevention of Significant Deterioration (“PSD”) program¹ and (2) the nonattainment NSR program.² These programs also encompass state construction permit programs for projects that are not major.

In the CAAPP or Illinois’s Title V permit program, the Illinois EPA’s practice is to identify requirements that are carried over from an earlier Title I permit into a New or Renewed CAAPP Permit as “TI” conditions (i.e., Title I conditions). Title I Conditions that are revised as part of their incorporation into a CAAPP Permit are further designated as “TIR”. Title I Conditions that are newly established through a CAAPP Permit are designated as “TIN”. It is important that Title I Conditions be identified in a CAAPP Permit because these conditions will not expire when the CAAPP Permit expires. Because the underlying authority for Title I Conditions comes from Title I of the CAA and their initial establishment in Title I Permits, the effectiveness of T1 Conditions derives from Title I of the CAA rather than being linked to Title V of the A. For “changes” to be made to Title I Conditions, they must either cease to be applicable based on obvious circumstances, e.g., the subject emission unit is permanently shut down, or appropriate Title I procedures must be followed to change the conditions.

- Newly Issued Construction Permits:

| <i>Permit No.</i> | <i>Date Issued</i> | <i>Subject</i> |
|-------------------|--------------------|--|
| 03090022 | December 15, 2003 | Process Lines |
| 04120056 | March 9, 2005 | New Printing Press and Three Post Curing Ovens |
| 09040022 | June 17, 2009 | New Process Boiler |
| 09070006 | December 4, 2009 | Die Lubrication Operation |

- There are no newly issued Construction Permits for projects not yet constructed for this source.
- The Illinois EPA has not established any T1R or T1N Limits in this Draft CAAPP permit.

CHAPTER III - SUPPLEMENTAL DISCUSSIONS REGARDING THE PERMIT

The information provided in this Chapter of the Statement of Basis is being provided to assist interested parties in understanding what additional information may have been relied on to support this draft CAAPP permit.

3.1 Environmental Justice Discussions

While the Illinois EPA is sensitive to the location of this facility in a potential EJ community, Title V does not provide for substantive emission control requirements beyond those arising under currently applicable regulations. Thus, when issuing a CAAPP Permit for this facility, the Illinois EPA does not have the authority to impose additional emission control requirements to reduce emissions beyond the levels provided for by applicable state and federal regulations. At the same time, CAAPP Permits do not allow for additional emissions.

Having a facility subject to a CAAPP Permit provides benefits for air quality, the public and the environment generally. CAAPP Permits require more reporting on a facility's compliance status than is required by underlying state operating permits. For example, the requirements for semi-annual reports for all monitoring and annual compliance certifications only become applicable upon the effectiveness of a CAAPP Permit. In addition, CAAPP Permits generally provide clarity and awareness of applicable regulations and the mechanisms by which sources must comply with these regulations. CAAPP Permits add to the compliance checks put on facilities. Where a facility has outstanding compliance deficiencies, CAAPP Permits may establish compliance schedules and other additional conditions for monitoring and reporting.

With this Statement of Basis, the Illinois EPA has made very clear the applicable emission limitations, standards, and other enforceable terms and conditions, as well as attendant monitoring, reporting, recordkeeping, and certifications to assure compliance. The Illinois EPA has provided an explanation of same, as well as a justification for why the conditions that assure compliance are appropriate. The level of detail in the Statement of Basis is atypically involved and is in recognition of the public interest in the permitting of this complex facility in a potential EJ community. The Statement of Basis has been provided to the USEPA for its review. The extremely detailed explanation of the requirements, particularly Periodic Monitoring, applicable to this source is intended to further meaningful public participation.

3.2 Emission Testing Results

The source has performed the following emission testing:

| | | | | |
|----------------------------|----------------|------------------------|----------------------------|--------------------------------|
| Date of Test | 4/29/2013 | | | |
| Unit | Test Parameter | Capture Efficiency (%) | Destruction Efficiency (%) | Overall Control Efficiency (%) |
| LEM(OC14) Oxidizer(CO6) | VOC | 100 | 99.87 | 99.87 |

Condition 4.6.2(f)(i)(E): minimum Capture Control 81% and minimum Destruction 90 %

3.3 Compliance Reports (Annual Certifications, Semiannual Monitoring, NESHAP, etc.)

A review of the source's compliance reports demonstrates the sources ability to comply with all applicable requirements.

3.4 Field Inspection Results

A review of the source's latest field inspection report dated January 16, 2013 demonstrates the source's ability to comply with all applicable requirements.

3.5 Historical Non-Compliance

There is no historical non-compliance for this source.

3.6 Source Wide Justifications and Rationale

| Applicable Requirements Summary | | |
|---|------------------------|----------------------------------|
| Applicable Requirement | Type | Location |
| Fugitive Particulate Matter (35 IAC 212.301 and 35 IAC 212.314) | Applicable Standard | See the Permit, Condition 3.1(a) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 3.1(a)(ii))
 - o Upon written request by the IEPA, daily visible emissions observations must be conducted by the Permittee for a week as specified in noted permit condition.
- ✓ Recordkeeping as follows (Condition 3.1(a)(ii)):
 - o Permittee must keep records of these visible emission observations which include criteria specified in the noted permit condition.
- ✓ Reporting as follows (Condition 3.5(a)):
 - o Prompt and timely reporting of deviations within 30 days of deviation occurrence and summarized with the Semi-Annual Monitoring Reports.

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this source because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Emissions are considered negligible.

Non-Applicability Discussion

Complex source-wide non-applicability determinations were not made for this source.

3.7 Emission Unit Justifications and Rationale

| a. Plastic Bead Blaster | | |
|--|-----------------------------|---------------------------------------|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| Opacity Requirement (35 IAC 212.123(a)) | Applicable Standard | See the Permit, Condition 4.1.2(a) |
| PM Requirement (35 IAC 212.321(a)) | Applicable Standard | See the Permit, Condition 4.1.2(b) |
| Operation and Production | Applicable Work Practice | See the Permit, Condition 4.1.2(c) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.1.2(a)(ii))
 - o Method 22 at least once every calendar year,
- ✓ Recordkeeping as follows (Condition 4.1.2(a)(ii)):
 - o Record shall include, at a minimum: date and time the observation was performed, name(s) of observing personnel, identification of which equipment was observed, whether or not the equipment was running properly, the findings of the observation including the presence of any visible emissions, and a description of any corrective action taken including if the corrective action took place within 4 hours of the observation.
- ✓ Reporting as follows (Condition 4.1.5(a)):
 - o Prompt reporting within 30 days

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Particulate Matter Emission

- ✓ Recordkeeping as follows (Condition 4.1.2(b)(ii)):
 - o Recordkeeping of method to determine emissions of PM
 - o Records of monthly and yearly PM emissions
- ✓ Reporting as follows (Condition 4.1.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.

- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting within 30 day. See rationale in Chapter III Section 9.

| b. Uncontrolled Gasket Coating Lines | | |
|---|--------------------------------|---------------------------------------|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| Opacity Requirement (35 IAC 212.123(a)) | Applicable Standard | See the Permit, Condition 4.2.2(a) |
| PM Requirement (35 IAC 212.321(a)) | Applicable Standard | See the Permit, Condition 4.2.2(b) |
| SO ₂ Requirement (35 IAC 214.301) | Applicable Standard | See the Permit, Condition 4.2.2(c) |
| VOM Requirement (35 IAC 218.204(q)(1)(g)(I)) | Applicable Standard | See the Permit, Condition 4.2.2(d) |
| Operation and Production Requirements | Applicable Operation Limits | See the Permit, Condition 4.2.2(f) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.2.2(a)(ii)(A))
 - o Annual Method 22 observations
 - o If required, Method 9 measurements
- ✓ Recordkeeping as follows (Condition 4.2.2(a)(ii)(B)):
 - o Records of each Method 22 observation
 - o If required, records of each Method 9 measurement
- ✓ Reporting as follows (Condition 4.2.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Particulate Matter Emission

- ✓ Recordkeeping as follows (Condition 4.2.2(b)(ii)):
 - o Recordkeeping of method to determine emissions of PM
 - o Records of monthly and yearly PM emissions
- ✓ Reporting as follows (Condition 4.2.5(a)):

- o Prompt reporting within 30 day. See rationale in Chapter III Section 9.

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Sulfur Emissions

- ✓ Recordkeeping as follows (Condition 4.2.2(c)(ii) and 4.2.2(f)(ii)):
 - o Record pipeline natural gas
- ✓ Reporting as follows (Condition 4.2.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The likelihood of Natural Gas Fired Ovens violating the sulfur limit is unlikely.

Pipeline quality natural gas has sulfur content limited to levels that would result in SO₂ emissions less than the limit. Pursuant to 40 CFR 72.2 to be considered pipeline quality natural gas it must contain 0.5 grains or less of total sulfur per 100 standard cubic feet (less than 8.0 ppm) thus resulting in SO₂ emissions less than the 2,000 ppm limit.

Organic Material Emission

- ✓ Monitoring as follows (Condition 4.2.2(d)(ii)(A)-(B))
 - o Annual testing of VOM content of applied coatings and clean-up solvents
- ✓ Recordkeeping as follows (Condition 4.2.2(d)(ii)(C)):
 - o Monthly and annual usage
 - o Density of each coating
 - o The weight of VOM per volume
 - o VOM content test results
 - o Monthly and annual VOM emissions
- ✓ Reporting as follows (Condition 4.2.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 3.9.

Prompt reporting of deviations from the HAP content limits of 40 CFR 63.3890 has been established semi-annually as part of the compliance report pursuant to 40 CFR 63.3920(a)(5).

| c. Rubber Molding Adhesive Room | | |
|---|--------------------------------|---------------------------------------|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| Opacity Requirement (35 IAC 212.123(a)) | Applicable Standard | See the Permit, Condition 4.3.2(a) |
| PM Requirement (35 IAC 212.321(a)) | Applicable Standard | See the Permit, Condition 4.3.2(b) |
| SO ₂ Requirement (35 IAC 214.301) | Applicable Standard | See the Permit, Condition 4.3.2(c) |
| Operation and Production Requirements | Applicable Operation Limits | See the Permit, Condition 4.3.2(f) |
| Work Practice Requirements | Applicable Work Practice | See the Permit, Condition 4.3.2(g) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.3.2(a)(ii)(A))
 - o Annual Method 22 observations
 - o If required, Method 9 measurements
- ✓ Recordkeeping as follows (Condition 4.3.2(a)(ii)(B)):
 - o Records of each Method 22 observation
 - o If required, records of each Method 9 measurement
- ✓ Reporting as follows (Condition 4.3.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Particulate Matter Emission

- ✓ Recordkeeping as follows (Condition 4.3.2(b)(ii)):
 - o Recordkeeping of method to determine emissions of PM
 - o Recorders of monthly and yearly PM emissions
- ✓ Reporting as follows (Condition 4.3.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Sulfur Emissions

- ✓ Recordkeeping as follows (Condition 4.3.2(c)(ii) and 4.3.2(f)(ii)):
 - o Record pipeline natural gas
- ✓ Reporting as follows (Condition 4.3.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The likelihood of Natural Gas Fired Ovens violating the sulfur limit is unlikely.

Pipeline quality natural gas has sulfur content limited to levels that would result in SO₂ emissions less than the limit. Pursuant to 40 CFR 72.2 to be considered pipeline quality natural gas it must contain 0.5 grains or less of total sulfur per 100 standard cubic feet (less than 8.0 ppm) thus resulting in SO₂ emissions less than the 2,000 ppm limit.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 3.9.

| d. Natural Gas Boilers (> 10 mmBtu/hr) | | |
|--|-------------------------|---------------------------------------|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| Opacity Requirement (35 IAC 212.123(a)) | Applicable Standard | See the Permit, Condition 4.4.2(a) |
| C) Requirement (35 IAC 216.121) | Applicable Standard | See the Permit, Condition 4.4.2(b) |
| Operation or Production Requirement | Applicable Operation | See the Permit, Condition 4.4.2(c) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.4.2(a)(ii)(A))
 - o Annual Method 22 observations
 - o If required, Method 9 measurements
- ✓ Recordkeeping as follows (Condition 4.4.2(a)(ii)(B)):
 - o Records of each Method 22 observation
 - o If required, records of each Method 9 measurement
- ✓ Reporting as follows (Condition 4.4.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Carbon Monoxide Emissions

- ✓ Monitoring as follows (Condition 4.4.2(b)(ii) and 4.4.2(d)(ii))
 - o See work practice requirements for tune-ups
- ✓ Recordkeeping as follows (Condition 4.4.2(b)(ii) and 4.4.2(d)(ii)):
 - o See work practice requirements for tune-ups
- ✓ Reporting as follows (Condition 4.4.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- Tune-up is the best path to ensure that combustion process is complete, efficient and the boiler operates with minimum emissions resulted from burning natural gas.

Operation and Production

- ✓ Recordkeeping as follows (Condition 4.4.2(c)(ii)):
 - o Records of natural gas usage
- ✓ Reporting as follows (Condition 4.4.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 3.9.

| | | |
|--|------------------------|---------------------------------------|
| e. Natural Gas Boilers (< 10 mmBtu/hr) | | |
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| Opacity Requirement (35 IAC 212.123) | Applicable Standard | See the Permit, Condition 4.5.2(a) |
| PM Requirement Construction Permit #09040022 Steam Generator #3014 (B11) | Applicable Limit | See the Permit, Condition 4.5.2(b) |
| SO ₂ Requirement Construction Permit #09040022 Steam Generator #3014 (B11) | Applicable Limit | See the Permit, Condition 4.5.2(c) |
| VOM Requirement Construction Permit #09040022 Steam Generator #3014 (B11) | Applicable Limit | See the Permit, Condition 4.5.2(d) |

| e. Natural Gas Boilers (< 10 mmBtu/hr) | | |
|--|---|---------------------------------------|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| CO Requirement Construction Permit #09040022 Steam Generator #3014 (B11) | Applicable Limit | See the Permit, Condition 4.5.2(e) |
| NO _x Requirement Construction Permit #09040022 Steam Generator #3014 (B11) | Applicable Limit | See the Permit, Condition 4.5.2(f) |
| Operation and Production | Applicable Operation and Production | See the Permit, Condition 4.5.2(h) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.4.2(a)(ii)(A))
 - o Annual Method 22 observations
 - o If required, Method 9 measurements
- ✓ Recordkeeping as follows (Condition 4.4.2(a)(ii)(B)):
 - o Records of each Method 22 observation
 - o If required, records of each Method 9 measurement
- ✓ Reporting as follows (Condition 4.4.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Particulate Matter Emission

- ✓ Monitoring as follows (Condition 4.5.2(b)(ii))
 - o PM/PM₁₀ emissions determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)
- ✓ Recordkeeping as follows (Condition 4.5.2(b)(ii)):
 - o PM/PM₁₀ emissions from the Steam Generator #3014 including supporting calculations (lbs/hour and tons/year)
- ✓ Reporting as follows (Condition 4.5.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Sulfur Emissions

- ✓ Monitoring as follows (Condition 4.5.2(c)(ii))
 - o SO₂ emissions determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)
- ✓ Recordkeeping as follows (Condition 4.5.2(c)(ii)):
 - o SO₂ emissions from the Steam Generator #3014 including supporting calculations (lbs/hour and tons/year)
- ✓ Reporting as follows (Condition 4.5.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Organic Material Emission

- ✓ Monitoring as follows (Condition 4.5.2(d)(ii))
 - o VOM emissions determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)
- ✓ Recordkeeping as follows (Condition 4.5.2(e)(ii)):
 - o VOM emissions from the Steam Generator #3014 including supporting calculations (lbs/hour and tons/year)
- ✓ Reporting as follows (Condition 4.5.5(e)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.

- Monitoring is consistent with other sources in this source category.

Carbon Monoxide Emissions

- ✓ Monitoring as follows (Condition 4.5.2(e)(ii))
 - o CO emissions determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)
- ✓ Recordkeeping as follows (Condition 4.5.2(e)(ii)):
 - o CO emissions from the Steam Generator #3014 including supporting calculations (lbs/hour and tons/year)
- ✓ Reporting as follows (Condition 4.5.5(e)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Nitrogen Oxides Emissions

- ✓ Monitoring as follows (Condition 4.5.2(f)(ii))
 - o NO_x emissions determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)
- ✓ Recordkeeping as follows (Condition 4.5.2(f)(ii)):
 - o NO_x emissions from the Steam Generator #3014 including supporting calculations (lbs/hour and tons/year)
- ✓ Reporting as follows (Condition 4.5.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Operation and Production

- ✓ Recordkeeping as follows (Condition 4.5.2(g)(ii)):

- o Records natural gas usage
- ✓ Reporting as follows (Condition 4.5.5(a))):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for this emission unit because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 3.9.

| f. Liquid Elastomer Molding (LEM) Line | | |
|--|--------------------------------------|---------------------------------------|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| Opacity Requirement (35 IAC 212.123) | Applicable Standard | See the Permit, Condition 4.6.2(a) |
| PM Requirement (35 IAC 212.321) | Applicable Standard | See the Permit, Condition 4.6.2(b) |
| SO _x Requirement (35 IAC 214.301) | Applicable Standard | See the Permit, Condition 4.6.2(c) |
| VOM Requirements Construction Permit #03090022 | Applicable Limit | See the Permit, Condition 4.6.2(d) |
| VOM Requirements (40 CFR 60 Subpart TT) | Applicable Standard | See the Permit, Condition 4.6.2(d) |
| Operational and Production Requirements | Applicable Standard and Limits | See the Permit, Condition 4.6.2(e) |

Visible Emissions (i.e., Opacity)

- ✓ Monitoring as follows (Condition 4.6.2(a)(ii))
 - o Method 22 for visible emissions at least once every calendar year.
 - o If visible emissions are observed, the Permittee shall take corrective action within 4 hours of such observation.
 - o If visible emissions continue, then measurements of opacity in accordance with Method 9
- ✓ Recordkeeping as follows (Condition 4.6.2(a)(ii)(B) and (C)):

- o Records for each Method 22 observation, corrective action if required, and for each Method 9 measurement if required.
- ✓ Reporting as follows (Condition 4.6.5(a)):
- o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- There is a small likelihood of an exceedance.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Particulate Matter Emission

- ✓ Recordkeeping as follows (Condition 4.6.2(b)(ii)(A)-(C)):
- o Record solid applied for coating
- o Record monthly and annual operating hours
- o Record hourly PM allowable by 35 IAC 212.321(a)
- ✓ Reporting as follows (Condition 4.6.5(a)):
- o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Sulfur Emissions

- ✓ Recordkeeping as follows (Condition 4.6.2(c)(ii) and 4.6.2(f)(ii)):
- o Record pipeline natural gas
- ✓ Reporting as follows (Condition 4.6.5(a)):
- o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.
- The likelihood of Natural Gas Fired Ovens violating the sulfur limit is unlikely.

Pipeline quality natural gas has sulfur content limited to levels that would result in SO₂ emissions less than the limit. Pursuant to 40 CFR 72.2 to be considered pipeline quality natural gas it must contain 0.5 grains or less of total sulfur per 100 standard cubic feet (less than 8.0 ppm) thus resulting in SO₂ emissions less than the 2,000 ppm limit.

Organic Material Emission

- ✓ Monitoring as follows (Condition 4.6.2(d)(ii)(A))
 - o Annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total).
- ✓ Recordkeeping as follows (Condition 4.6.2(d)(ii)(B)(C)):
 - o Pursuant to 40 CFR 60.463(c)(2)
 - o Records of The name, identification number, usage (gal/month), density (lb/gal), VOM content (lb/gal) of each coating, thinner and solvent used in the coating line
 - o Annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total)
- ✓ Reporting as follows (Condition 4.6.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Presumed by rule as the source is subject to a standard promulgated after November 1990.
- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Monitoring is consistent with other sources in this source category.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 3.9.

| g. Die Lubrication Operation (Punch Presses) | | |
|---|-------------------|--|
| Applicable Requirements Summary | | |
| Applicable Requirement | Type | Location |
| VOM Requirements Requirement (35 IAC 218.301) | Applicable Limits | See the Permit, Condition 4.7.2(a)(i)(A) |
| VOM Requirement Construction Permit #09070006 | Applicable Limit | See the Permit, Condition 4.7.2(a)(B) |
| Operation and Production Requirements Construction Permit #09070006 | Applicable Limits | See the Permit, Condition 4.7.2(b)(i) |

Organic Material Emission

- ✓ Monitoring as follows (Condition 4.7.2(a)(ii))
 - o Annual limits monthly basis from the sum of the data for the current month plus the preceding 11 months (running total of 12 months of data)
- ✓ Recordkeeping as follows (Condition 4.7.2(a)(ii)):
 - o Monthly and Yearly VOM emission,
- ✓ Reporting as follows (Condition 4.7.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Emissions do not vary significantly under normal operation and/or vary slowly with time.
- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Operation and Production Requirements

- ✓ Monitoring as follows (Condition 4.7.2(b)(ii))
 - o Lubrication usage determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running total of 12 months of data)
- ✓ Recordkeeping as follows (Condition 4.7.2(b)(ii)):
 - o VOM usage for die lubrication process (lbs/month and lbs/year)
- ✓ Reporting as follows (Condition 4.7.5(a)):
 - o Prompt reporting within 30 day. See rationale in Chapter III Section 9

Rationale and Justification for Periodic Monitoring

Periodic Monitoring is sufficient for these emission units because:

- Source has not exhibited a history of non-compliance.
- Monitoring is consistent with other sources in this source category.

Non-Applicability Discussion

Complex non-applicability determinations were not made for this emission unit. All non-applicability discussions can be found in the Draft CAAPP Permit.

Prompt Reporting Discussion

Prompt reporting of deviations has been established as 30 days. See rationale in Chapter III Section 3.9.

3.8 Insignificant Activities Discussion

There are no insignificant activities for the source subject to specific regulations which are obligated to comply with Sections 9.1(d) and Section 39.5 of the Act; Sections 165, 173, and 502 of the Clean Air Act; or any other applicable permit or registration requirements and therefore there are no periodic monitoring requirements that need to be separately addressed.

3.9 Prompt Reporting Discussion

Among other terms and conditions, CAAPP Permits contain reporting obligations to assure compliance with applicable requirements. These reporting obligations are generally four-fold. More specifically, each CAAPP Permit sets forth any reporting requirements specified by state or federal law or regulation, requires prompt reports of deviations from applicable requirements, requires reports of deviations from required monitoring and requires a report certifying the status of compliance with terms and conditions of the CAAPP Permit over the calendar year.

The number and frequency of reporting obligations in any CAAPP Permit is source-specific. That is, the reporting obligations are directly related to factors, including the number and type of emission units and applicable requirements, the complexity of the source and the compliance status. This four-fold approach to reporting is common to virtually all CAAPP Permits as described below. Moreover, this is the approach established in the Draft CAAPP Permit for this source.

Regulatory Reports

Many state and federal environmental regulations establish reporting obligations. These obligations vary from rule-to-rule and thus from CAAPP source to CAAPP source and from CAAPP Permit to CAAPP Permit. The variation is found in the report triggering events, reporting period, reporting frequency and reporting content. Regardless, the CAAPP makes clear that all reports established under applicable regulations shall be carried forward into the CAAPP Permit as stated in Section 39.5(7)(b) of the Illinois Environmental Protection Act. Generally, where sufficiently detailed to meet the exacting standards of the CAAPP, the regulatory reporting requirements are simply restated in the CAAPP Permit. Depending on the regulatory obligations, these regulatory reports may also constitute a deviation report as described below.

The Draft CAAPP Permit for this source would embody all regulatory reporting as promulgated under federal and state regulations under the Clean Air Act and the Illinois Environmental Protection Act. Depending on the frequency of the report, the regulatory report may also satisfy the prompt reporting obligations discussed below. These reports must be certified by a responsible official.

These reports are generally found in the reporting sections for each emission unit group. The various regulatory reporting requirements are summarized in the table at the end of this Reporting Section.

Deviation Reports (Prompt Reporting)

Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act mandates that each CAAPP Permit require prompt reporting of deviations from the permit requirements.

Neither the CAAPP nor the federal rules upon which the CAAPP is based and was approved by USEPA define the term "prompt". Rather, 40 CFR Part 70.6(a)(3)(iii)(B) intended that the term have flexibility in application. The USEPA has acknowledged for purposes of administrative efficiency and clarity that the permitting authority (in this case, Illinois EPA) has the discretion to define "prompt" in relation to the degree and type of deviation likely to occur at a particular source. The Illinois EPA follows this approach and defines prompt reporting on a permit-by-permit basis. In instances where the underlying applicable requirement contains "prompt" reporting, the Illinois EPA typically incorporates the pre-established timeframe in the CAAPP permit (e.g. a NESHAP or NSPS deviation report). Where the underlying applicable requirement fails to explicitly set forth the timeframe for reporting deviations, the Illinois EPA generally uses a timeframe of 30 days to define prompt reporting of deviations.

This approach to prompt reporting of deviations as discussed herein is consistent with the requirements of Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act as well as 40 CFR Part 70 and the CAA. The reporting arrangement is designed so that the source will appropriately notify the Illinois EPA of those events that might warrant attention. The timing for these event-specific notifications is necessary and appropriate as it gives the source enough time to conduct a thorough investigation into the causes of an event, collecting any necessary data, and developing preventive measures, to reduce the likelihood of similar events, all of which must be addressed in the notification for the deviation, while at the same time affording regulatory authority and the public timely and relevant information. The approach also affords the Illinois EPA and USEPA an opportunity to direct investigation and follow-up activities, and to make compliance and enforcement decisions in a timely fashion.

The Draft CAAPP Permit for this source would require prompt reporting as required by the Illinois Environmental Protection Act in the fashion described in this subsection. In addition, pursuant to Section 39.5(7)(f)(i) of the Illinois Environmental Protection Act, this Draft CAAPP Permit would also require the source to provide a summary of all deviations with the Semi-Annual Monitoring Report. These reports must be certified by a responsible official, and are generally found in the reporting sections for each emission unit group.

Semi-Annual Monitoring Reports

Section 39.5(7)(f)(i) of the Illinois Environmental Protection Act mandates that each CAAPP Permit require a report relative to monitoring obligations as set forth in the permit. Depending upon the monitoring obligation at issue, the semi-annual monitoring report may also constitute a deviation report as previously discussed. This monitoring at issue includes instrumental and non-instrumental emissions monitoring, emissions analyses, and emissions testing established by state or federal laws or regulations or as established in the CAAPP Permit. This monitoring also includes recordkeeping. Each deviation from each monitoring requirement must be identified in the relevant semi-annual report. These reports provide a timely opportunity to assess for compliance patterns of concern. The semi-annual reports shall be submitted regardless of any deviation events. Reporting periods for semi-annual monitoring reports are January 1 through June 30 and July 1 through December 31 of each calendar year. Each semi-annual report is due within 30 days after the close of reporting period. The reports shall be certified by a responsible official. The Draft CAAPP Permit for this source would require such reports at Condition 3.5(b).

Annual Compliance Certifications

Section 39.5(7)(p)(v) of the Illinois Environmental Protection Act mandates that each CAAPP Permit require a source to submit a certification of its compliance status with each term and condition of its CAAPP Permit. The reports afford a broad assessment of a CAAPP sources compliance status. The CAAPP requires that this report be submitted, regardless of compliance status, on an annual basis. Each CAAPP Permit requires this annual certification be submitted by May 1 of the year immediately following the calendar year reporting period. The report shall be certified by a responsible official. The Draft CAAPP Permit for this source would require such a report at Condition 2.6(a).

Prompt reporting of deviations is critical in order to have timely notice of deviations and the opportunity to respond, if necessary. The effectiveness of the permit depends upon, among other important elements, timely and accurate reporting. The Illinois EPA, USEPA, and the public rely on timely and accurate reports submitted by the source to measure compliance and to direct investigation and follow-up activities. Prompt reporting is evidence of the source's good faith in disclosing deviations and describing the steps taken to return to compliance and prevent similar incidents.

Any occurrence that results in an excursion from any emission limitation, operating condition, or work practice standard as specified in this Draft CAAPP Permit is a deviation subject to prompt reporting. Additionally, any failure to comply with any permit term or condition is a deviation of that permit term or condition and must be reported to the Illinois EPA as a permit deviation. The deviation may or may not be a violation of an emission limitation or standard. A permit deviation can exist even though other indicators of compliance suggest that no emissions violation or exceedance has occurred. Reporting permit deviations does not necessarily result in enforcement action. The Illinois EPA has the discretion to take enforcement action for permit deviations that may or may not constitute a deviation from an emission limitation or standard or the like, as necessary and appropriate.

As a result, the Illinois EPA's approach to prompt reporting of deviations as discussed herein is consistent with the requirements of Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act as well as 40 CFR Part 70 and the CAA. This reporting arrangement is designed so that the source will appropriately notify the Illinois EPA of those events that might warrant individual attention.

3.10 Emissions Reduction Market System (ERMS)

The Emissions Reduction Market System (ERMS) is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the CAA.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source shall have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 IAC 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 IAC 205.500 and 35 IAC 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 IAC 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 IAC 205.630).

3.11 Greenhouse Gas Provisions

On June 3, 2010, USEPA adopted rules for the initial permitting of major sources of emissions of greenhouse gases (GHG). See, 75 FR 31514-31608. Prompted by the earlier adoption of GHG emissions standards for motor vehicles under Title II of the CAA, the USEPA's rules implement a two-phased program for permitting major sources of GHG under Title V permit programs.³ As Illinois EPA is planning to issue a permit to this source during the second phase of the rules, GHG emissions must be addressed during this CAAPP permitting action.⁴ Annual Emission Reports submitted to the Illinois EPA by this source and/or estimated GHG emissions by the Illinois EPA, which detail the source's actual annual emissions of GHG, provide the necessary data to appropriately address emissions of GHG in the Draft CAAPP Permit. The data in these reports clearly show the source is a major source for emissions of GHG.

The new federal rules also require subject Title V sources to comply with any applicable GHG-related requirements that arise from other CAA programs.⁵ However, there are currently no emission standards or other regulatory obligations relating to GHG that constitute "applicable requirements" for this source. For this reason, the Draft CAAPP Permit for this source does not contain any substantive requirements for GHG. At the federal level, the only venue that could potentially establish GHG-related requirements at this time is the PSD program. As of January 2, 2011, sources triggering PSD must evaluate GHG emissions resulting from projects that trigger the major source or major modification rules.⁶ This source has neither constructed such a project, nor received a permit authorizing such a project, since January 2, 2011, to the present, and therefore has not triggered any GHG-related requirements under the PSD program.

There are no other GHG-related requirements established under the CAA that are applicable to this source at this time. In particular, the mandatory reporting rule for GHG promulgated by USEPA in 2009 [see

generally, 40 CFR Part 98] is not an applicable requirement and therefore would not be included in the Draft CAAPP Permit for this source. There are also no GHG-related requirements under the Illinois Environmental Protection Act or contained within Illinois' SIP that apply to the source at this time. Other state laws or regulations in Illinois relating to GHG, including efforts to reduce emissions of GHG under authority other than the Illinois Environmental Protection Act, do not constitute applicable requirements under the CAAPP.

3.12 Incorporation by Reference Discussion

Based on guidance found in White Paper 2 and past petition responses by the Administrator, it is recognized that Title V permit authorities may, within their discretion, incorporate plans by reference. As recognized in the *White Paper 2*, permit authorities can effectively streamline the contents of a Title V permit, avoiding the inevitable clutter of restated text and preventing unnecessary delays where, as here, permit issuance is subject to a decision deadline.⁷ However, it is also recognized that the benefits of incorporation of plans must be carefully balanced by a permit authority with its duty to issue permits in a way that is "clear and meaningful" to the Permittee and the public.⁸

The criteria that are mentioned in USEPA Administrator Petition Responses stress the importance of identifying, *with specificity*, the object of the incorporation.⁹ The Illinois EPA agrees that such emphasis is generally consistent with USEPA's pronouncements in previous guidance.

For each condition incorporating a plan, the Illinois EPA is also briefly describing the general manner in which the plan applies to the source. Identifying the nature of the source activity, the regulatory requirements or the nature of the equipment associated with the plan is a recommendation of the *White Paper 2*.¹⁰ The Illinois EPA has stopped short of enumerating the actual contents of a plan, as restating them in the permit would plainly defeat the purpose of incorporating the document by reference and be contrary to USEPA guidance on the subject.¹¹

Plans may need to be revised from time to time, as occasionally required by circumstance or by underlying rule or permit requirement. Except where expressly precluded by the relevant rules, this Draft CAAPP Permit allows the Permittee to make future changes to a plan without undergoing formal permit revision procedures. This approach will allow flexibility to make required changes to a plan without separately applying for a revised permit and, similarly, will lessen the impacts that could result for the Illinois EPA if every change to a plan's contents required a permitting transaction.¹² Changes to the incorporated plans during the permit term are automatically incorporated into the Draft CAAPP Permit unless the Illinois EPA expresses a written objection.¹³

3.13 Periodic Monitoring General Discussions

Pursuant to Section 504(c) of the Clean Air Act, a Title V permit must set forth monitoring requirements, commonly referred to as "Periodic Monitoring", to assure compliance with the terms and conditions of the permit. A general discussion of Periodic Monitoring is provided below. The Periodic Monitoring that is proposed for specific operations and emission units and at this source is discussed in Chapter III of this Statement of Basis. Chapter III provides a narrative discussion of and justification for the elements of Periodic

Monitoring that would apply to the different emission units and types of emission units at the facility.

As a general matter, the required content of a CAAPP Permit with respect to such Periodic Monitoring is addressed in Section 39.5(7) of the Illinois Environmental Protection Act.¹⁴ Section 39.5(7)(b) of the Illinois Environmental Protection Act¹⁵ provides that in a CAAPP Permit:

The Agency shall include among such conditions applicable monitoring, reporting, record keeping and compliance certification requirements, as authorized by paragraphs d, e, and f of this subsection, that the Agency deems necessary to assure compliance with the Clean Air Act, the regulations promulgated thereunder, this Act, and applicable Board regulations. When monitoring, reporting, record keeping and compliance certification requirements are specified within the Clean Air Act, regulations promulgated thereunder, this Act, or applicable regulations, such requirements shall be included within the CAAPP Permit.

Section 39.5(7)(d)(ii) of the Illinois Environmental Protection Act further provides that a CAAPP Permit shall:

Where the applicable requirement does not require periodic testing or instrumental or noninstrumental monitoring (which may consist of recordkeeping designed to serve as monitoring), require Periodic Monitoring sufficient to yield reliable data from the relevant time period that is representative of the source's compliance with the permit ...

Accordingly, the scope of the Periodic Monitoring that must be included in a CAAPP Permit is not restricted to monitoring requirements that were adopted through rulemaking or imposed through permitting. When applicable regulatory emission standards and control requirements or limits and control requirement in relevant Title 1 permits are not accompanied by compliance procedures, it is necessary for Monitoring for these standards, requirements or limits to be established in a CAAPP Permit.^{16, 17} Monitoring requirements must also be established when standards and control requirement are accompanied by compliance procedures but those procedures are not adequate to assure compliance with the applicable standards or requirements.^{18, 19} For this purpose, the requirements for Periodic Monitoring in a CAAPP Permit may include requirements for emission testing, emissions monitoring, operational monitoring, non-instrumental monitoring, and recordkeeping for each emission unit or group of similar units at a facility, as required by rule or permit, as appropriate or as needed to assure compliance with the applicable substantive requirements. Various combinations of monitoring measures will be appropriate for different emission units depending on their circumstances, including the substantive emission standards, limitations and control requirements to which they are subject.

What constitutes sufficient Periodic Monitoring for particular emission units, including the timing or frequency associated with such Monitoring requirements, must be determined by the permitting authority based on its knowledge, experience and judgment.²⁰ For example, as Periodic Monitoring must collect representative data, the timing of Monitoring requirements need not match the averaging time or compliance period of the associated substantive requirements, as set by the relevant regulations and permit provisions. The timing of the various requirements making up the Periodic Monitoring for an emission unit is something that must be considered when those Monitoring requirements are being

established. For this purpose, Periodic Monitoring often consists of requirements that apply on a regular basis, such as routine recordkeeping for the operation of control devices or the implementation of the control practices for an emission unit. For certain units, this regular monitoring may entail "continuous" monitoring of emissions, opacity or key operating parameters of a process or its associated control equipment, with direct measurement and automatic recording of the selected parameter(s). As it is infeasible or impractical to require emissions monitoring for most emission units, instrumental monitoring is more commonly conducted for the operating parameters of an emission unit or its associated control equipment. Monitoring for operating parameter(s) serves to confirm proper operation of equipment, consistent with operation to comply with applicable emission standards and limits. In certain cases, an applicable rule may directly specify that a particular level of an operating parameter be maintained, consistent with the manner in which a unit was being operated during emission testing. Periodic Monitoring may also consist of requirements that apply on a periodic basis, such as inspections to verify the proper functioning of an emission unit and its associated controls.

The Periodic Monitoring for an emission unit may also include measures, such as emission testing, that would only be required once or only upon specific request by the Illinois EPA. These requirements would always be accompanied by Monitoring requirements that would apply on a regular basis. When emission testing or other measure is only required upon request by the Illinois EPA, it is included as part of the Periodic Monitoring for an emission unit to facilitate a response by the Illinois EPA to circumstances that were not contemplated when Monitoring was being established, such as the handling of a new material or a new mode of operation. Such Monitoring would also serve to provide further verification of compliance, along with other potentially useful information. As emission testing provides a quantitative determination of compliance, it would also provide a determination of the margin of compliance with the applicable limit(s) and serve to confirm that the Monitoring required for an emission unit on a regular basis is reliable and appropriate. Such testing might also identify specific values of operating parameters of a unit or its associated control equipment that accompany compliance and can be relied upon as part of regular Monitoring.

There are a number of considerations or factors that are or may be relevant when evaluating the need to establish new monitoring requirements as part of the Periodic Monitoring for an emission unit. These factors include: (1) The nature of the emission unit or process and its emissions; (2) The variability in the operation and the emissions of the unit or process over time; (3) The use of add-on air pollution control equipment or other practices to control emissions and comply with the applicable substantive requirement(s); (4) The nature of that control equipment or those control practices and the potential for variability in their effectiveness; (5) The nature of the applicable substantive requirement(s) for which Periodic Monitoring is needed; (6) The nature of the compliance procedures that specifically accompany the applicable requirements; (7) The type of data that would already be available for the unit; (8) The effort needed to comply with the applicable requirements and the expected margin of compliance; (9) The likelihood of a violation of applicable requirements; (10) The nature of the Periodic Monitoring that may be readily implemented for the emission unit; (11) The extent to which such Periodic Monitoring would directly address the applicable requirements; (12) The nature of Periodic Monitoring commonly required for similar emission units at other facilities and in similar circumstances; (13) The interaction or relationship between the different measures in the Periodic Monitoring for an emission unit;

and (14) The feasibility and reasonableness of requiring additional measures in the Periodic Monitoring for an emission unit in light of other relevant considerations.²¹

CHAPTER IV – CHANGES FROM PREVIOUSLY ISSUED CAAPP PERMITS

4.1 Major Changes Summary

This renewal CAAPP draft is presented in a new format. The new format is the result of recommendations by the USEPA, comments made by sources, and interactions with the public.

| | <i>Previous CAAPP Permit Layout</i> | <i>New CAAPP Permit Layout</i> |
|------------|-------------------------------------|--------------------------------|
| Section 1 | Source Identification | Source Information |
| Section 2 | List Of Abbreviations/Acronyms | General Permit Requirements |
| Section 3 | Insignificant Activities | Source Requirements |
| Section 4 | Significant Emission Units | Emission Unit Requirements |
| Section 5 | Overall Source Conditions | Title I Requirements |
| Section 6 | Emission Control Programs | Insignificant Activities |
| Section 7 | Unit Specific Conditions | Other Requirements |
| Section 8 | General Permit Conditions | State Only Requirements |
| Section 9 | Standard Permit Conditions | --- |
| Section 10 | Attachments | Attachments |

4.2 Specific Permit Condition Changes

Summary Table of Significant Emission Sections Renewal CAAPP and Previous CAAPP

| Remark | Sect. No. | Description |
|-------------------------------|-----------------------|---|
| delete entire | 7.1 | Units M6 1, M6 2, M6 3, M6 5 Cork Rubber Gasket Manufacturing |
| delete entire | 7.2 | Unit R6 Rubber Compounding Weighing Room |
| delete entire | 7.3 | Units R4, R10 Rubber Compounding Banbury Mixing |
| add M73 | 4.1 7.4 | Unit M8 , <u>M73</u> Plastic Bead Blaster |
| remove OC2, 3, 5, 6, 10 & M51 | 4.2 7.5 | Units OC2, OC3, OC4, OC5, OC6, OC7 , OC8, OC9, OC10 , OC13 and M51 Uncontrolled Gasket Coating Lines |
| delete entire | 7.6 | Unit M59 Edge Molded Metal Plate System |
| delete entire | 7.7 | Unit OC11 Rubber Coated Emboss System Multi Layer Steel System |
| | 4.3 7.8 | Unit M52 Rubber Molding Adhesive Room |
| delete entire | 7.9 | Unit M6 4 Frame Gluing |
| | 4.4 7.1 | Units B1, B2, B10 Natural Gas Boilers (> 10 mmBtu/hr) |

| Remark | Sect. No. | Description |
|---------------------------------------|------------------------|---|
| remove B3, B5, B7, & B8 add B11 | 4.5 7.11 | Units B3, B4, B5, B7, B8 B9 , B11 Natural Gas Boilers (< 10 mmBtu/hr) |
| delete entire | 7.12 | Units T3 & T4 Gasoline Storage Tanks |
| delete entire | 7.13 | Units OT1 Six Engine Test Cells |
| delete entire | 7.14 | Units FP Flexographic Printing |
| delete entire | 7.15 | Units P2 Lithographic Printing |
| Add | 4.6 | Unit OC-14 Liquid Elastomer Molding Controls CO6 Oxidizer |
| Add | 4.7 | Die Lubrication Operation (Punch Presses) |

Pursuant to Construction Permit #0907006 Emission Unit 4.7 Die Lubrication Operation (Punch Presses) was incorporated into CAAPP renewal.

Endnotes

¹ The federal PSD program, 40 CFR 52.21, applies in Illinois. The Illinois EPA administers PSD permitting for major projects in Illinois pursuant to a delegation agreement with USEPA.

² Illinois has a state nonattainment NSR program, pursuant to state rules, Major Stationary Sources Construction and Modification ("MSSCM"), 35 IAC Part 203, which have been approved by USEPA as part of the State Implementation Plan for Illinois.

³ The new rules apply the first phase of permitting to sources already subject to Title V by virtue of their conventional, non-GHG pollutants. As noted above, these sources are expected to address GHG in their permitting applications and to comply with any substantive requirements for GHG that have been established through other CAA programs such as PSD. The second phase of permitting that begins July 1, 2011, essentially applies the same requirements to sources who will become subject to Title V based on their GHG emissions alone (i.e., existing or newly constructed sources with a potential to emit of equal to or greater than 100,000 tons per year of CO₂e and 100 tons per year of GHG on a mass basis).

⁴ USEPA has stated that the first phase of its new rules requires existing Title V sources to address GHG in their Title V applications by citing to any pollutants for which the Title V source is major and to all regulated air pollutants. See, PSD and Title V Permitting Guidance for Greenhouse Gases, prepared by the Office of Air Quality Planning and Standards, page 51 (November 2010).

⁵ See generally, PSD and Title V Permitting Guidance for GHG at pages 53-56.

⁶ A major source subject to PSD based on potential emissions of a non-GHG pollutant and potential emissions of GHG equal or greater than 75,000 tons per year of CO₂e is required to address GHG emissions in evaluating control options and associated monitoring, reporting, etc, for any construction of a new major source or a major modification of an existing major source.

⁷ Among other things, USEPA observed that the stream-lining benefits can consist of "reduced cost and administrative complexity, and continued compliance flexibility...". *White Paper 2*, page 41.

⁸ See, *In the Matter of Tesoro Refining and Marketing*, Petition No. IX-2004-6, Order Denying in Part and Granting in Part Petition for Objection to Permit, at page 8 (March 15, 2005); see also, *White Paper 2* at page 39 ("reference must be detailed enough that the manner in which any referenced materials applies to a facility is clear and is not reasonably subject to misinterpretation").

⁹ The Order provides that permit authorities must ensure the following: "(1) referenced documents be specifically identified; (2) descriptive information such as the title or number of the document and the date of the document be included so that there is no ambiguity as to which version of the document is being referenced; and (3) citations, cross references, and incorporations by reference are detailed enough that the manner in which any referenced material applies to a facility is clear and is not reasonably subject to

misinterpretation." See, Petition Response at page 43, citing White Paper 2 at page 37.

¹⁰ See, White Paper 2 at page 39.

¹¹ Nothing in USEPA guidance, including the White Paper 2 or previous orders responding to public petitions, supports the notion that permit authorities incorporating a document by reference must also restate contents of a given plan in the body of the Title V permit. Such an interpretation contradicts USEPA recognition that permit authorities need not restate or recite an incorporated document so long as the document is sufficiently described. White Paper 2 at page 39; see also, In the matter of Consolidated Edison Co. of New York, Inc., 74th St. Station, Petition No. II-2001-02, Order Granting in Part and Denying in Part Petition for Objection to Permit at page 16 (February 19, 2003).

¹² This approach is consistent with USEPA guidance, which has previously embraced a similar approach to certain SSM plans. See, Letter and Enclosures, dated May 20, 1999, from John Seitz, Director of Office of Air Quality Planning and Standards, to Robert Hodanbosi and Charles Lagges, STAPPA/ALAPCO, pages 9-10 of Enclosure B.

¹³ The PM₁₀ Contingency Measure Plan is not being provided the same flexibility with respect to revising the plan's contents, as the underlying SIP rule treats the contents of the plan as federally enforceable. Any future revisions to this plan during the permit term are required to undergo procedures for permit modification. See, Condition 5.3.3(d).

¹⁴ The provisions of the Act for Periodic Monitoring in CAAPP permits reflect parallel requirements in the federal guidelines for State Operating Permit Programs, 40 CFR 70.6(a)(3)(i)(A), (a)(3)(i)(B), and (c)(1).

¹⁵ Section 39.5(7)(p)(i) of the Act also provides that a CAAPP permit shall contain "Compliance certification, testing, monitoring, reporting and record keeping requirements sufficient to assure compliance with the terms and conditions of the permit."

¹⁶ The classic example of regulatory standards for which Periodic Monitoring requirements must be established in a CAAPP permit are state emission standards that pre-date the 1990 Clean Air Act Amendments that were adopted without any associated compliance procedures. Periodic Monitoring must also be established in a CAAPP permit when standards and limits are accompanied by compliance procedures but those procedures are determined to be inadequate to assure compliance with the applicable standards or limits.

¹⁷ Another example of emission standards for which requirements must be established as part of Periodic Monitoring is certain NSPS standards that require initial performance testing but do not require periodic testing or other measures to address compliance with the applicable limits on a continuing basis.

¹⁸ The need to establish Monitoring requirements as part of Periodic Monitoring when existing compliance procedures are determined to be inadequate, as well as when they are absent, was confirmed by the federal appeals court in

Sierra Club v. Environmental Protection Agency, 536 f. 3d 673, 383 U.S. App. D.C. 109.

¹⁹ The need to establish Monitoring requirements as part of Periodic Monitoring is also confirmed in USEPA's Petition Response. USEPA explains that "...if there is periodic monitoring in the applicable requirements, but that monitoring is not sufficient to assure compliance with permit terms and conditions, permitting authorities must supplement monitoring to assure such compliance." Petition Response, page 6.

²⁰ The test for the adequacy of "Periodic Monitoring" is a context-specific determination, particularly whether the provisions in a Title V permit reasonably address compliance with relevant substantive permit conditions. 40 CFR 70.6(c)(1); see also 40 CFR 70.6(a)(3)(i)(B); see also, *In the Matter of CITGO Refinery and Chemicals Company L.P.*, Petition VI-2007-01 (May 28, 2009); see also, *In the Matter of Waste Management of LA. L.L.C. Woodside Sanitary Landfill & Recycling Center, Walker, Livingston Parish, Louisiana*, Petition VI-2009-01 (May 27, 2010); see also, *In the Matter of Wisconsin Public Service Corporation's JP Pulliam Power Plant*, Petition V-2009-01 (June 28, 2010).

²¹ A number of these factors are specifically listed by USEPA in its Petition Response. USEPA also observes that the specific factors that it identifies in its Petition Response with respect to Periodic Monitoring provide "...the permitting authority with a starting point for its analysis of the adequacy of the monitoring; the permitting authority also may consider other site-specific factors." Petition Response, page 7.